

CONTENTS

1	SM16703/WS2811/UCS1903 SMD5050 LED Strip	-----	01-08
2	UCS2904 SMD5050 LED Strip	-----	09
3	WS2811F/FW1903 SMD2835 LED Strip	-----	10
4	UCS2903 SMD5050 LED Strip	-----	11-13
5	TM1934/UCS5603/WS2818 SMD5050 LED Strip	-----	14-18
6	miniTM1934 SMD2835 LED Strip	-----	19
7	GS8208 SMD5050 LED Strip	-----	20
8	UCS2904/TM1814 SMD5050 LED Strip	-----	21
9	TM1834/UCS7604 SMD5050 LED Strip	-----	22
10	WS2812B SMD5050 LED Strip	-----	23-24
11	WS2813 SMD5050 LED Strip	-----	25
12	SK6812 SMD3535 LED Strip	-----	26-29
13	WS2815 SMD5050 LED Strip	-----	30-38
14	WS2812C SMD2121 LED Strip	-----	39
15	APA102 LED Strip	-----	40
16	WS2812 SMD5050 S type LED Strip	-----	41
17	WS2812 SMD3535 LED Strip	-----	42
18	DMX UCS512H4L/Hi512ES SMD5050 LED Strip	-----	43-47

SM16703/WS2811/UCS1903 SMD5050 LED Strip



Color Available:



RGB




Pixel Chasing

IP Grade Available:

IP20

IP65

IP67



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-3PIN-RGB-30	DC12V	7.2W/M	10pixels/m	30leds/m	100mm	No	10mm
STE-TTL-3PIN-RGB-60	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	No	10mm
STE-TTL-3PIN-RGB-60	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	No	10mm

SM16703/WS2811/UCS1903 SMD2835 LED Strip



Color Available:



RGB




Pixel Chasing

IP Grade Available:

IP20

IP65

IP67



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-3PIN-RGB-96	DC24V	21.6W/M	16pixels/m	96leds/m	62.5mm	No	10mm
STE-TTL-3PIN-RGB-120	DC24V	28.8W/M	20pixels/m	120leds/m	50mm	No	10mm

SM16703/WS2811/UCS1903 SMD5050 LED Strip



Color Available:



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-3PIN-W-30	DC12V	7.2W/M	10pixels/m	30leds/m	100mm	No	10mm
STE-TTL-3PIN-W-60	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	No	10mm
STE-TTL-3PIN-W-60	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	No	10mm

SM16703/WS2811/UCS1903 SMD2835 LED Strip



Color Available:



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-3PIN-W-120	DC24V	28.8W/M	20pixels/m	120leds/m	50mm	No	10mm

SM16703/WS2811/UCS1903 SMD5050 LED Strip



Color Available:

Color Available: CCT White
 Natural white +Day white+Cool white
 Day white +Cool white+Cold white
 Cool white +Cold white+Day white



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-3PIN-CCT-30	DC12V	7.2W/M	10pixels/m	30leds/m	100mm	No	10mm
STE-TTL-3PIN-CCT-60	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	No	10mm
STE-TTL-3PIN-CCT-60	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	No	10mm


SM16703/WS2811/UCS1903/UCS2903 SMD5050 LED Strip 15 meters no voltage drop series



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-5PIN-RGB-30	DC12V	7.2W/M	10pixels/m	30leds/m	100mm	No	10mm
STE-TTL-5PIN-RGB-60	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	No	10mm
STE-TTL-5PIN-RGB-120	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	No	10mm

SM16703/WS2811/UCS1903/UCS2903 SMD5050    
LED Strip 15 meters no voltage drop series

Color Available:



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-5PIN-W-30	DC12V	7.2W/M	10pixels/m	30leds/m	100mm	No	10mm
STE-TTL-5PIN-W-60	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	No	10mm
STE-TTL-5PIN-W-120	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	No	20mm

SM16703/WS2811/UCS1903/UCS2903 SMD5050    
LED Strip 15 meters no voltage drop series

Color Available:

Color Available: CCT White
 Natural white +Day white+Cool white
 Day white +Cool white+Cold white
 Cool white +Cold white+Day white



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-5PIN-CCT-30	DC12V	7.2W/M	10pixels/m	30leds/m	100mm	No	10mm
STE-TTL-5PIN-CCT-60	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	No	10mm
STE-TTL-5PIN-CCT-120	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	No	20mm

UCS2904 SMD5050 LED Strip 20 meters no voltage drop series



Color Available:



IP Grade Available:



Item	Voltage	Power	Pixel Quantity	Led Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-5PIN-RGB-60	DC24V	19.2W/M	10pixels/m	60leds/m	100mm	No	15mm

WS2811F/FW1903 SMD2835 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
ST-TTL-3PIN-RGB-120-24V	DC24V	24W/M	20pixels/m	120leds/m	50mm	No	5/8/10mm

UCS2903 TTL SMD5050 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-5PIN-RGB-120-24V	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	No	15/10mm

UCS2903 SMD5050 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
ST-TTL-5PIN-W-120-24V	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	No	20mm

UCS2903 SMD5050 LED Strip



Color Available:

Color Available: CCT White
 Natural white +Day white+Cool white
 Day white +Cool white+Cold white
 Cool white +Cold white+Day white



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
ST-TTL-5PIN-CCT-120-24V	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	No	20mm

TM1934/UCS5603/WS2818 SMD5050 LED Strip



Color Available:



RGB

Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-RGB-60	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	Yes	10mm
STE-TTL-4PIN-RGB-60	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	Yes	10mm
STE-TTL-4PIN-RGB-72	DC12V	17.2W/M	24pixels/m	72leds/m	41.6mm	Yes	8mm
STE-TTL-4PIN-RGB-72	DC24V	17.2W/M	12pixels/m	72leds/m	83.3mm	Yes	8mm

TM1934/UCS5603/WS2818 SMD2835 LED Strip



Color Available:



RGB



Pixel
Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-RGB-120D-WS2818-24V	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	Yes	10mm

TM1934/UCS5603/WS2818 SMD2835 LED Strip




Color Available:



Pixel
Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-W-120D-WS2818-24V	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	Yes	10mm

TM1934/UCS5603/WS2818 SMD5050 LED Strip



Color Available:



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-W-60-12V	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	Yes	10mm
STE-TTL-4PIN-W-60-24V	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	Yes	10mm
STE-TTL-4PIN-W-72-12V	DC12V	17.2W/M	24pixels/m	72leds/m	41.6mm	Yes	8mm
STE-TTL-4PIN-W-72-24V	DC24V	17.2W/M	12pixels/m	72leds/m	83.33mm	Yes	8mm

TM1934/UCS5603/WS2818 SMD5050 LED Strip



Color Available:

Color Available: CCT White
Natural white +Day white+Cool white
Day white +Cool white+Cold white
Cool white +Cold white+Day white



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-CCT-60-12V	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	Yes	10mm
STE-TTL-4PIN-CCT-60-24V	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	Yes	10mm
STE-TTL-4PIN-CCT-72-12V	DC12V	17.2W/M	24pixels/m	72leds/m	41.6mm	Yes	8mm
STE-TTL-4PIN-CCT-72-24V	DC24V	17.2W/M	12pixels/m	72leds/m	83.33mm	Yes	8mm

miniTM1934 SMD2835 LED Strip



Color Available:



RGB



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-RGB-120D-TM1934-24V	DC24V	14.4W/M	10pixels/m	120leds/m	100mm	Yes	5mm

GS8208 SMD5050 LED Strip



Color Available:



RGB



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-RGB-60-12V	DC12V	12W/M	60pixels/m	60leds/m	16.67mm	Yes	10mm

UCS2904/TM1814 SMD5050 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-3PIN-RGBW-60-12V	DC12V	19.2W/M	20pixels/m	60leds/m	50mm	No	10mm
STE-TTL-3PIN-RGBW-60-24V	DC24V	19.2W/M	10pixels/m	60leds/m	100mm	No	10mm

TM1834/UCS7604 SMD5050 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-RGBW-60-12V	DC12V	19.2W/M	20pixels/m	60leds/m	50mm	Yes	10mm
STE-TTL-4PIN-RGBW-60-24V	DC24V	19.2W/M	10pixels/m	60leds/m	100mm	Yes	10mm
STE-TTL-4PIN-RGBW-72D-TM1834-24V	DC24V	24W/M	12pixels/m	72leds/m	83.3mm	Yes	10mm

WS2812B SMD5050 LED Strip



Color Available:



IP Grade Available:




Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-RGB-60-5V	DC5V	12W/M	60pixels/m	60leds/m	16.67mm	No	10mm
STB-TTL-3PIN-RGB-144-5V	DC5V	34W/M	144pixels/m	144leds/m	6.9mm	No	12mm

WS2812B SMD5050 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-W-60-5V	DC5V	12W/M	60pixels/m	60leds/m	16.67mm	No	10mm
STB-TTL-3PIN-W-144-5V	DC5V	34W/M	144pixels/m	144leds/m	6.9mm	No	12mm

WS2813 SMD5050 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-4PIN-RGB-60-5V	DC5V	12W/M	60pixels/m	60leds/m	16.67mm	Yes	10mm
STB-TTL-4PIN-RGB-144-5V	DC5V	34W/M	144pixels/m	144leds/m	6.9mm	Yes	12mm

SK6812 SMD3535 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-RGBW-60-5V	DC5V	12W/M	60pixels/m	60leds/m	16.67mm	No	5mm
STB-TTL-3PIN-RGBW-120-5V	DC5V	24W/M	120pixels/m	120leds/m	8.33mm	No	5mm
STB-TTL-3PIN-RGBW-144-5V	DC5V	34W/M	144pixels/m	144leds/m	6.9mm	No	8mm

SK6812 SMD5050 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-RGBW-60-5V	DC5V	14.4W/M	60pixels/m	60leds/m	16.67mm	No	10mm
STB-TTL-3PIN-RGBW-144-5V	DC5V	34.5W/M	144pixels/m	144leds/m	6.9mm	No	12mm


SK6812 SMD3535 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-RGBW-66D-SK6812-24V	DC24V	22W/M	66pixels/m	66leds/m	166.67mm	No	10mm

SK6812 SMD5050 LED Strip



Color Available:



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-W-60-5V	DC5V	12W/M	60pixels/m	60leds/m	16.67mm	No	8/10mm

WS2815 SMD5050 LED Strip



Color Available:




RGB



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-4PIN-RGB-30-12V	DC12V	4.3W/M	30pixels/m	30leds/m	33.3mm	Yes	10mm
STB-TTL-4PIN-RGB-60-12V	DC12V	8.6W/M	60pixels/m	60leds/m	16.67mm	Yes	10mm
STB-TTL-4PIN-RGB-84-12V	DC12V	12W/M	84pixels/m	84leds/m	11.9mm	Yes	10mm
STB-TTL-4PIN-RGB-96-12V	DC12V	13.8W/M	96pixels/m	96leds/m	10.41mm	Yes	10mm
STB-TTL-4PIN-RGB-120-12V	DC12V	17.3W/M	120pixels/m	120leds/m	25mm	Yes	5mm
STB-TTL-4PIN-RGB-144-12V	DC12V	20.7W/M	144pixels/m	144leds/m	13.88mm	Yes	12mm

WS2815 S Type SMD3535 LED Strip



Color Available:



IP Grade Available:




Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-RGB-84-12V	DC12V	12W/M	84pixels/m	84leds/m	35.71mm	No	6mm

WS2815 S Type SM3535 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-W-84-12V	DC12V	12W/M	84pixels/m	84leds/m	35.71mm	No	6mm

WS2815 SMD5050 S type LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-4PIN-RGB-60D-WS2815-12V-S	DC12V	8W/M	60pixels/m	60leds/m	50mm	Yes	8mm

WS2815 SMD5050 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-4PIN-W-30-12V	DC12V	4.3W/M	30pixels/m	30leds/m	33.3mm	Yes	10mm
STB-TTL-4PIN-W-60-12V	DC12V	8.6W/M	60pixels/m	60leds/m	16.67mm	Yes	10mm
STB-TTL-4PIN-W-84-12V	DC12V	12W/M	84pixels/m	84leds/m	11.9mm	Yes	10mm
STB-TTL-4PIN-W-96-12V	DC12V	13.8W/M	96pixels/m	96leds/m	10.41mm	Yes	10mm
STB-TTL-4PIN-W-120-12V	DC12V	17.3W/M	120pixels/m	120leds/m	25mm	Yes	5mm
STB-TTL-4PIN-W-144-12V	DC12V	20.7W/M	144pixels/m	144leds/m	13.88mm	Yes	12mm

WS2815 SMD3535 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-4PIN-RGB-60-12V	DC12V	8.6W/M	60pixels/m	60leds/m	16.67mm	Yes	5mm
STB-TTL-4PIN-RGB-120-12V	DC12V	17.3W/M	120pixels/m	120leds/m	16.67mm	Yes	5/10mm
STB-TTL-4PIN-RGB-144-12V	DC12V	20.7W/M	144pixels/m	144leds/m	13.88mm	Yes	8mm


WS2815 SMD3535 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STE-TTL-4PIN-RGB-66D-TX1818-24V	DC24V	22W/M	66pixels/m	66leds/m	90.9mm	Yes	10mm

WS2815 SMD3535 LED Strip



Color Available:



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-4PIN-W-60-12V	DC12V	8.6W/M	60pixels/m	60leds/m	16.67mm	Yes	5mm
STB-TTL-4PIN-W-120-12V	DC12V	17.3W/M	120pixels/m	120leds/m	16.67mm	Yes	5/10mm
STB-TTL-4PIN-W-144-12V	DC12V	20.7W/M	144pixels/m	144leds/m	13.88mm	Yes	8mm

WS2815 SMD3535 LED Strip




Color Available:



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-4PIN-W-66	DC24V	20W/M	66pixels/m	66leds/m	90.9mm	Yes	10mm

WS2812C SMD2121 LED Strip



Color Available:



RGB




Pixel Chasing

IP Grade Available:

IP20

IP65

IP67



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-RGB-200-5V	DC5V	15W/M	200pixels/m	200leds/m	5mm	No	3.5mm

APA102 LED Strip



Color Available:



RGB



Pixel Chasing

IP Grade Available:

IP20

IP65

IP67



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-4PIN-RGB-200-5V	DC5V	18W/M	200pixels/m	200leds/m	5mm	No	5mm

WS2812 SMD5050 S type LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-RGB-60D-WS2812-5V-S	DC5V	8W/M	60pixels/m	60leds/m	50mm	No	6mm

WS2812 SMD3535 LED Strip



Color Available:



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
STB-TTL-3PIN-RGB-148D-WS2812-5V	DC5V	20W/M	148pixels/m	148leds/m	13.5mm	No	8mm

DMX UCS512H4L/Hi512ES SMD5050 LED Strip

Color Available:  RGB  Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
ST-DMX-5PIN-RGB-60-12V	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	Yes	10mm
ST-DMX-5PIN-RGB-60-24V	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	Yes	10mm
ST-DMX-5PIN-RGB-72-24V	DC24V	17.3W/M	12pixels/m	72leds/m	83.33mm	Yes	8mm
ST-DMX-5PIN-RGB-120-12V	DC24V	28.8W/M	20pixels/m	120leds/m	50mm	Yes	10mm

DMX UCS512H4L/Hi512ES SMD5050 LED Strip

Color Available:

Color Available: CCT White
Natural white + Day white + Cool white
Day white + Cool white + Cold white
Cool white + Cold white + Day white



IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
ST-DMX-5PIN-CCT-60-12V	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	Yes	10mm
ST-DMX-5PIN-CCT-60-24V	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	Yes	10mm
ST-DMX-5PIN-CCT-72-24V	DC24V	17.3W/M	12pixels/m	72leds/m	83.33mm	Yes	8mm

DMX UCS512H4L/Hi512ES SMD5050 LED Strip



Color Available:



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
ST-DMX-5PIN-White-60-12V	DC12V	14.4W/M	20pixels/m	60leds/m	50mm	Yes	10mm
ST-DMX-5PIN-White-60-24V	DC24V	14.4W/M	10pixels/m	60leds/m	100mm	Yes	10mm
ST-DMX-5PIN-White-72-24V	DC24V	17.3W/M	12pixels/m	72leds/m	83.33mm	Yes	8mm

DMX UCS512H4L/Hi512ES SMD5050 LED Strip



Color Available:



RGBW



Pixel Chasing

IP Grade Available:



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
ST-DMX-5PIN-RGBW-60-12V	DC12V	19.2W/M	20pixels/m	60leds/m	50mm	Yes	10mm
ST-DMX-5PIN-RGBW-60-24V	DC24V	19.2W/M	10pixels/m	60leds/m	100mm	Yes	10mm



DMX UCS512H4L/Hi512ES SMD5050 LED Strip



Color Available:



RGB



Pixel
Chasing

IP Grade Available:

IP20

IP65

IP67



Product Parameters:

Item	Voltage	Power	Pixel Quantity	LED Quantity	Cutting Unit	Break Continue	PCB Width
ST-DMX-5PIN-RGB-60-12V	DC12V	22W/M	30pixels/m	60leds/m	33.33mm	Yes	10mm
ST-DMX-5PIN-RGB-60-24V	DC24V	22W/M	30pixels/m	60leds/m	33.33mm	Yes	10mm